

RITCHIE[®] NAVIGATION

ALQUEST
MARINE
Official Distributor

2015 Catalog of Precision Crafted Compasses



Navigation Begins With the Right Compass

Visit us at www.ritchienavigation.com

MAN CAN'T SURVIVE

The best of both worlds...

GPS and Ritchie – Working Together

One way to achieve optimal performance and safety with your Ritchie compass is by using your electronic and magnetic navigation data together. By doing this, you get the best of both worlds. Your GPS informs you of your boat's position and calculates the speed and direction in which your boat has been traveling, while your compass tells you your real-time heading. Wind, current and boat speed can all create a discrepancy between what your GPS says and what's really happening.

And that's where a Ritchie compass comes in.



*For more information or to download Ritchie's
Complete Guide to Compass Navigation, visit:*

www.ritchienavigation.com

BY GPS ALONE




GPS FAILURE REQUIRES DEAD RECKONING

There's no land in sight. Not for weeks. And if your electronics cut out at any time, you'd better be ready to do some serious dead reckoning. That means paper charts, a pencil, and a magnetic compass.



GPS CAN COST YOU GAS

Running a deepwater fishing charter is a business. And fuel costs can kill profits. By locking on a heading with a compass, customers get to where the fish are as fast and efficiently as possible. It's not just a safety decision. It's a business decision.



GPS WON'T WORK UNDER ALL CONDITIONS

Statistically, commercial fishing is one of the most dangerous occupations in the world. A day at work can become a battle for survival. Your navigation system needs to be anchored by a magnetic compass. It's the bottom line of safety for crew and craft.



RITCHIE®

Navigation begins with the right compass.

We're Committed To Quality

Since 1850, Ritchie has been making only one thing – compasses. Which means every ounce of our time and energy goes into precision-crafting the highest quality product available. When you've invested so much in your boat, that kind of commitment makes all the difference.

Table of Contents

| | |
|---|----------------|
| Why you need a Ritchie..... | pgs 2,3 |
| Anatomy of a Compass..... | pg 5 |
| Compass Selection, Installation & Positioning | pg 6 |
| Compass Dial Designs | pg 6 |
| Balancing Compass Dials | pg 7 |
| Wheelmark Compasses..... | pgs 8, 9,10 |
| SuperSport™ Compasses..... | pgs 11,12 |
| Wind Indicators & Wetnotes | pg 13 |
| Kayak Compasses and Accessories | pgs 14, 15 |
| Small Sailboat Compasses | pg 15 |
| Fishing Boat Compasses..... | pg 16 |
| RitchieSport® Compasses..... | pg 17 |
| Ritchie Trek™ Compasses..... | pgs 18,19 |
| Explorer™ Compasses..... | pgs 19, 20, 21 |
| Voyager® Compasses..... | pgs 22, 23 |
| Helmsman™ Compasses | pgs 24, 25 |
| Venture® Compass | pg 25 |
| Navigator™ Compasses | pgs 26, 27 |
| Globemaster® Compasses..... | pgs 28,29,30 |
| Skylight Binnacles for Globemaster® | pgs 31 |
| Super Yacht Compasses | pg 32 |
| Steel and Commercial Boat Compasses | pgs 33, 34 |
| Globemaster® Shock Mount Compasses..... | pg 35 |
| Navy Standard Compasses | pg 36 |
| Authorized Service Locations | pgs 37, 38, 39 |

Accuracy from the inside out.

When properly sized, installed and compensated a marine compass is the most important instrument on any boat. It will provide accurate, trouble-free heading references under the most adverse conditions without relying on electricity, radio signals or satellite communications. The most important criteria when selecting a compass are dial size and mounting style. Quality components aid accuracy, smooth response, stability and trouble-free operation. Although the size and shape of Ritchie Compass models may vary, this cutaway engineering illustration is representative of the modern technology that makes Ritchie Compasses the World's Best Marine Compasses.

1 Compass Dome

The dome provides clear and accurate magnification of the dial. Our domes are made exclusively for Ritchie using a heavy-duty, optically clear polymer.

2 Compass Bowls & Housings

Bowls and housings are made from brass, or high-strength glass reinforced polymers.

3 Gimbal Systems

All Ritchie Compasses are engineered to operate normally within their environment without bottoming out due to the pitch and roll or heel of the boat. An internal gimbaling system is most often applied to provide this important function. This illustration shows the bi-axis gimbal system used in many Ritchie models. This dial assembly is suspended by Gimbal Rings and Pans formed from ultra lightweight aluminum and held in place with spring loaded brass pins. A Brass Counter Balance keeps the entire system level.

4 Fluid Baffle & Roller Diaphragm

Baffles reduce turbulence in the dampening fluid. Diaphragms allow the fluid to expand or contract with changes in temperature or pressure without forming bubbles.

5 Corrector Magnets

Deviation occurs when something on board your boat draws the compass magnets away from their attraction to the earth's magnetic field; i.e. masses of iron, engines, electric motors, electronics with speaker magnets, batteries, electronic instruments, tachometers with magnets, engine controls, steering wheels and electric appliances.

All Ritchie compasses that are intended for use on boats that could have deviation problems, have built-in compensators. These compensators are non-interactive magnets that are balanced and optimally spaced for accurate correction. Compensation instructions are included.

A Ritchie Dials

Dial measurements are given in the apparent visual size. Models are available in sizes from 2" (5.08cm) to 6" (15.24cm) in diameter. In many models you can select either a Traditional Flat Card or Direct Reading Dial. The CombiDial™, which is both a flat card and direct reading dial in one, is also available in several Voyager, Helmsman and Navigator models.

B Powerdamp® Performance



Each dial is engineered to provide the ultimate in steady, smooth performance and easy readability. Traditional Flat Dials are equipped with Ritchie's race proven PowerDamp® system, a lightweight baffle that eliminates spinning and dial jumping at high speeds and in rough conditions. Direct Reading and CombiDial™ dials are formed so that their shape also provides PowerDamp performance.

C Directiveforce™ Magnets

Ritchie uses special High Gauss Magnets that are field balanced and matched to each compass model, dial style and size. They are attached to the underside of the dial in pairs matched to seek and lock on to magnetic north. This provides superior accuracy and smooth, rapid response.

D Pivot and Jewel Movement

All Ritchie Compasses use a Hardened Steel Pivot and Triple Cup Sapphire Jewel Movement. They are microscopically matched to provide smooth dial operation and fast lock-on, under the most severe conditions. There are no plastic pivots or jewels in Ritchie Compasses.



Repairability & Warranty

All Ritchie compasses are 100% repairable and are backed by Ritchie's exclusive 5-year Warranty. See the "warranty" section on the back cover for complete details.

Selecting, installing & positioning your compass.

When you choose your compass, you should always consider four things: mounting style, size, readability of the card and the design of your boat. Our guide below will help you select the Mounting Style and Dial Design that best suit your boat. You'll find more information on utilizing and optimizing your compass in Ritchie's Complete Guide to Compass Navigation.

Download it for free at www.ritchienavigation.com



Positioning

In an ideal situation, a compass should be mounted directly in front of the helm, as well as directly above the centerline of the hull. If this is not possible, the compass should be mounted parallel to the centerline. And on powerboats with upper steering stations, you should have a compass installed at both locations.

Mounting Styles



Dash Mount

Ideal for powerboats with limited dash space



Bulkhead Mount

Often used on sailboats to reduce interference with lines and to save space



Bracket Mount

Can be mounted on the deck or dash; allows compass to remain at proper viewing angle



Flush / Surface Mount

Ideal for today's compact helm designs



Binnacle Mount

Features an outer case, often with a light-shielding hood



Ritchie has available special custom fit covers for many models.

Dial Design

Wherever your compass is positioned on your boat, you'll need a dial that provides you with ultimate readability in every condition you encounter.



Combi-Dial

A combination of the direct-read and flat-card designs; incorporates dials that can be read from both above and directly in front of the compass and maximizes readability from any angle



Flat-Card Dial

Allows you to look down on the compass to see the course heading




Direct-Read Dial

Allows you to see the compass heading and lubber line from directly in front; good for when boat design requires your compass to be positioned at eye level

Balancing Compass Dials

US/UK World Magnetic Model -- Epoch 2010.0
Main Field Inclination (I)



Dials in magnetic compasses should be balanced to compensate for dip caused by the earth's magnetic field. All Ritchie Compasses are standard balanced for Zone 1 (essentially all of the northern hemisphere).

Compasses cannot be Zone Balanced in the field.

If unsure of the correct zone to order, contact our Sales Department at sales@ritchienavigation.com for additional information.

Purchase an appropriately zoned compass that is central to your boating area for example:

| Country | Rec. Zone Balance |
|-----------|-------------------|
| Australia | Zone 6 |
| Brazil | Zone 4 or 5 |
| Guam | Zone 3 |
| Panama | Zone 2 |



Wheelmark Compasses


The Wheelmark approval is for Lifeboat and Rescue boat compasses. These compasses are also suitable for sailboats, power boats and motor sailing vessels.

The -WM suffix signifies type approval and compliance with the Navigation requirements of Marine Equipment Directive (MED) 95/98/EC and the last modification by Directive 2011/75/EU. Wheelmark certificates can be downloaded from our website, www.ritchienavigation.com



Ritchie Voyager® S-87-WM & S-87W-WM, 3" Dial

| | |
|----------------------|---------------------|
| Dial Size/Design | 3" (76mm)/CombiDial |
| Night Lighting | 12V Green |
| Compensators | Built-in |
| Warranty | 5-Year |
| Approx. Shipping Wt. | 1 lb. 3 oz. (539g) |
| Protective Cover | Model No. V-83-C |



S-87W-WM



S-87-WM



For more information including articles, downloads and our Complete Guide to Compass Navigation, visit: www.ritchienavigation.com

Wheelmark Compasses

Ritchie Voyager® F-83-WM & F-83W-WM, 3" Dial


| | |
|----------------------|---------------------|
| Dial Size/Design | 3" (76mm)/CombiDial |
| Night Lighting | 12V Green |
| Compensators | Built-in |
| Mounting Hole | 4 3/16" (107mm) |
| Warranty | 5-Year |
| Approx. Shipping Wt. | 1 lb. 4 oz.(567g) |
| Protective Cover | Model No. V-83-C |



F-83W-WM




F-83-WM




B-81-WM

Ritchie Voyager® B-81-WM, 3" Dial

| | |
|----------------------|---------------------|
| Dial Size/Design | 3" (76mm)/CombiDial |
| Night Lighting | 12V Green |
| Compensators | Built-in |
| Warranty | 5-Year |
| Approx. Shipping Wt. | 1lb. 8 oz. (680g) |
| Protective Cover | Model No. V-83-C |





Wheelmark Compasses

The Wheelmark approval is for Lifeboat and Rescue boat compasses. These compasses are also suitable for sailboats, power boats and motor sailing vessels.

The -WM suffix signifies type approval and compliance with the Navigation requirements of Marine Equipment Directive (MED) 95/98/EC and the last modification by Directive 2011/75/EU. Wheelmark certificates can be downloaded from our website, www.ritchienavigation.com


Ritchie Navigator™ FN-201-WM & FN-201W-WM, 4 1/2" Dial

| | |
|----------------------|--------------------------|
| Dial Size/Design | 4 1/2" (114mm)/Flat-Card |
| Night Lighting | 12V Green |
| Compensators | Built-in |
| Mounting Hole | 5 1/8" (130mm) |
| Warranty | 5-Year |
| Approx. Shipping Wt. | 2 lb. 10 oz. (1.19kg) |
| Protective Cover | Model No. N-203-C |



FN-201W-WM

FN-201-WM



0735

Ritchie Navigator™ DNW-200-WM, DNP-200-WM & DNB-200-WM, 4 1/2" Dial


| | |
|----------------------|-------------------------------|
| Dial Size/Design | 4 1/2" (114mm)/Flat-Card Dial |
| Night Lighting | 12V Green |
| Compensators | Built-in |
| Warranty | 5-Year |
| Approx. Shipping Wt. | 3 lb. 10 oz. (1.65kg) |
| Protective Cover | Model No. N-203-C |



DNW-200-WM

DNP-200-WM

DNB-200-WM



Weather Shield Model No. WS-P
(Sold Separately)



This wheelmark symbol denotes conformance with standards ISO 25862:2009, ISO 10316:1990(E) and ISO 613:2002(E)

SuperSport™ Compasses


Developed for and tested on offshore race boats, the SuperSport Series compasses feature the PowerDamp® Plus dial. This dial technology features the PowerDamp® dial skirt to prevent oscillation, larger DirectiveForce™ magnets for quick lock on and extra-large steel pivots and jewels for smooth fast action.

SuperSport™ SS-1002, 3 3/4" Dial

| | |
|----------------------|--|
| Dial Size/Design | 3 3/4" (94mm)/Blue PowerDamp Plus Flat-Card Dial |
| Night Lighting | 12V Green |
| Compensators | Built-in |
| Mounting Hole | 4" (102mm) – 5" (128mm) w/adaptor ring |
| Warranty | 5-Year |
| Approx. Shipping Wt. | 2 lb. (907g) |
| Protective Cover | Model No. H-741-C |

SS-1002W

SS-1002



Adapter Rings (may be purchased if needed)


6" (15.24cm) retrofits the existing mounting hole for Model Numbers SS-1002 and SS-1002W. Adapter Model Numbers: H-ABLK (black) and H-AWHT (white).

SuperSport™ SS-2000, 4 1/2" Dial

| | |
|----------------------|---|
| Dial Size/Design | 4 1/2" (114mm)/Blue PowerDamp Plus Flat-Card Dial |
| Night Lighting | 12V Green |
| Compensators | included |
| Mounting Hole | 5 1/8" (130mm) |
| Warranty | 5-Year |
| Approx. Shipping Wt. | 2 lb. 10 oz. (1.19kg) |
| Protective Cover | Model No. N-203-C |

SS-2000W

SS-2000




SuperSport™ Compasses




SuperSport™ SS-5000, 5" Dial

| | |
|----------------------|--|
| Dial Size/Design | 5" (127mm)/PowerDamp Plus Flat-Card Dial |
| Night Lighting | 12V Green/24V or 32V by order |
| Compensators | Built-in |
| Mounting Hole | 6 1/4" (159mm) |
| Warranty | 5-Year |
| Approx. Shipping Wt. | 5 lb. 12 oz. (2.6kg) |
| Protective Cover | Model No. LL-C |



SuperSport™ SS-PR2, 3 3/4" Dial

| | |
|----------------------|---------------------------|
| Dial Size/Design | 3 3/4" (9.35cm)/CombiDial |
| Night Lighting | 12-24V Blue |
| Compensators | included |
| Mounting Hole | 4 1/2" (12.2cm) |
| Warranty | 5-Year |
| Approx. Shipping Wt. | 2 lb. (.91kg) |
| Protective Cover | BK-0019 ASY |
| SR-CM2 Compensator | included |



Mount at any angle up to 45°



Masthead Mount Wind Indicator

High Stability - won't overreact, minimal flutter

Carbon Fiber Construction - to withstand the rigors of high performance racing

Low Friction Bearing - the heart of **Race 1**

Ultralight - less than 10g all up

Ultra Sensitive - the 0.3mm carbon "feather" responds reliably to the lightest of airs, you pick up the shifts before the competition

Feather Vane Race 1 FVR-1

Size: Vane Length - 8" (20 cm),
Height - 12.99" (33 cm)

Warranty: 1 Year

Approx. Ship Wt. 1 lb. (45 gm)

Wetnotes™ W-35 & W-50



WetNotes Model W-50
includes 45 pages, vinyl cover and pencil

WetNotes are ideal for any on-the-water record keeping, from jotting down favorite fishing spots to grocery lists. Completely waterproof so they may be used underwater, WetNotes are available in two sizes: the Large 4 1/2" x 7 1/4" Notebook and the Small 3" x 5" Pocket Notebook.

WetNotes can be used with a regular soft lead pencil (supplied with W-50 Notebook), opens flat

for easy writing, has easily removable pages and a tough international safety yellow vinyl cover.



WetNotes Model W-35
includes 40 pages, self cover


Kayak Compasses and Accessories

Ritchie Kayaker™ XP-99, 3" Dial

Dial Size/Design 2 3/4" (76mm)/CombiDial
 Warranty 5-Year
 Approx. Shipping Wt. 1 lb. (454g)


Kayaker Tie-Downs

K-TD.2 (compass not included) Designed for Mounting the Ritchie Kayaker. No drill, no holes in the deck, flexible pad and foam ring easily conform to deck shape, won't scratch finishes.



Ritchie SportAbout™ X-11Y, 2" Dial

Dial Size/Design 2" (51mm)/Direct-Read Dial
 Night Lighting 3 Cyalume® Light Sticks Included
 Warranty 5-Year
 Approx. Shipping Wt. 1 lb. (454g)



X-TD Tie-Down
 (compass not included)

Sportabout™ Compass Holder

The SportAbout Holder can be deck mounted to make your SportAbout a Steering Compass on small boats. For convenient storage, mount the Holder on a Bulkhead



SportAbout™ Holder
 White - X-11-HW
 Black - X-11-H




Kayak Compass



Ritchie V-527, 2 3/4" Dial


| | |
|----------------------|--------------------------------|
| Boat Style/Size | Kayaks |
| Dial Size/Design | 2 3/4" (70mm)/Direct-Read Dial |
| Night Lighting | N/A |
| Compensators | Built-in |
| Warranty | 5-Year |
| Viewing | Adjustable up to 45° |
| Approx. Shipping Wt. | 1lb. (454g) |



Small Sailboat Racing Compasses

Ritchie X-Port Tactician™ XP-98W, 3" Dial


| | |
|----------------------|---|
| Dial Size/Design | 3" (76mm)/CombiDial with Tactical Quadrants to show Wind Shifts and Headers |
| Warranty | 5-Year |
| Approx. Shipping Wt. | 1lb. (454g) |



Ritchie Voyager® RU-90, 3" Dial

| | |
|----------------------|-------------------------------|
| Boat Style | small racing sailboats |
| Dial Size/Design | 3" (76mm)/Blue Flat-Card Dial |
| Night Lighting | none* |
| Mounting Hole | 4 1/8" (105mm) |
| Warranty | 5-Year |
| Approx. Shipping Wt. | 1 lb. 4 oz. (567g) |
| Protective Cover | Model No. V-81-C |

*Light Kit VL-100 available for RU-90



For more information including articles, downloads and our Complete Guide to Compass Navigation, visit: www.ritchienavigation.com

SLOPE MOUNT

SURFACE MOUNT


FLUSH MOUNT

Fishing Boat Compasses




Ritchie Angler® RA-91, 2 3/4" Dial

| | |
|----------------------|-------------------------------------|
| Dial Size/Design | 2 3/4" (70mm)/Blue Direct-Read Dial |
| Night Lighting | 12V Green |
| Compensators | Built-in |
| Warranty | 5-Year |
| Approx. Shipping Wt. | 1 lb. (454g) |
| Protective Cover | None |




Ritchie Angler® RA-93, 2 3/4" Dial

| | |
|----------------------|-------------------------------------|
| Dial Size/Design | 2 3/4" (70mm)/Blue Direct-Read Dial |
| Night Lighting | 12V Green |
| Compensators | Built-in |
| Warranty | 5-Year |
| Approx. Shipping Wt. | 1 lb. (454g) |
| Protective Cover | Model No. E-50-C |



Off 90° Compass S-OFF90, 2 3/4" Dial

| | |
|----------------------|------------------------------------|
| Dial Size/Design | 2 3/4" (70mm)/Direct-Read Dial |
| Night Lighting | 12V Green |
| Compensators | Built-in |
| Warranty | 5-Year |
| Approx. Shipping Wt. | 1 lb. (454g) |
| Viewing | 90° off for viewing from starboard |
| Protective Cover | Model No. E-50-C |



RitchieSport® Compasses



X-10-A



X-10W-M



X-10B-M



X-10-M




RitchieSport® X-10, 2" Dial

| | |
|----------------------|----------------------------|
| Dial Size/Design | 2" (51mm)/Direct-Read Dial |
| Night Lighting | 12V Green |
| Compensators | Built-in |
| Warranty | 5-Year |
| Approx. Shipping Wt. | 5 oz. (142g) |

Adjustable Reversible Bracket Mount

The fully adjustable and reversible Bracket allows a mounting range of over 300° from overhead, through angled and vertical mounts to horizontal surfaces. These mounting position options and your choice of mounting hardware permit mounting on everything from windshield or supporting frame structures, to slanted dashboards and consoles, to almost any flat, angled or vertical surface.



X-21BB



X-21BU




X-21WW



RitchieSport® X-21, 2" Dial

| | |
|----------------------|-----------------------------------|
| Dial Size/Design | 2" (51mm)/Direct-Read Dial |
| Night Lighting | 12V Green |
| Compensators | None |
| Viewing | Adjustable to 30° |
| Mounting Hole | 2 1/16" (56mm) Std. 2" gauge hole |
| Warranty | 5-Year |
| Approx. Shipping Wt. | 5 oz. (142g) |



Trfi™ Compasses



TR-35G




TR-35W



TR-35

Ritchie Trfi™ TR-35, 2 1/4" Dial

| | |
|----------------------|--------------------------------|
| Dial Size/Design | 2 1/4" (57mm)/Direct-Read Dial |
| Night Lighting | 12V Green |
| Compensators | Built-in |
| Mounting Hole | 3" (7.62cm) |
| Warranty | 5-Year |
| Approx. Shipping Wt. | 9 oz. (256g) |



TR-31

TR-31W

TR-31G




TR-31B



TR-31S

Ritchie Trfi™ TR-31, 2 1/4" Dial

| | |
|----------------------|-----------------------------------|
| Dial Size/Design | 2 1/4" (57mm) Direct-Read Dial |
| Night Lighting | 12V Green |
| Compensators | Built-in |
| Warranty | 5-Year |
| Approx. Shipping Wt. | 9 oz. (256g) |



Adjustable Reversible Bracket Mount


The fully adjustable and reversible Bracket allows a mounting range of over 300° from overhead, through angled and vertical mounts to horizontal surfaces. These mounting position options and your choice of mounting hardware permit mounting on everything from windshield or supporting frame structures, to slanted dashboards and consoles, to almost any flat, angled or vertical surface.

Trfi™ Compasses



Ritchie Trfi™ TR-33, 2 1/4" Dial

| | |
|----------------------|--------------------------------|
| Dial Size/Design | 2 1/4" (57mm)/Direct-Read Dial |
| Night Lighting | 12V Green |
| Compensators | Built-in |
| Warranty | 5-Year |
| Approx. Shipping Wt. | 9 oz. (256g) |



Explorer™ Compasses




B-51W



B-51G

B-51



Ritchie Explorer™ B-51, 2 3/4" Dial

| | |
|----------------------|--------------------------------|
| Dial Size/Design | 2 3/4" (70mm)/Direct-Read Dial |
| Night Lighting | 12V Green |
| Compensators | Built-in |
| Warranty | 5-Year |
| Approx. Shipping Wt. | 1 lb. (454g) |

SURFACE MOUNT

BRACKET MOUNT

Explorer™ Compasses

FLUSH MOUNT



F-50W




F-50



Ritchie Explorer™ F-50, 2 3/4" Dial

| | |
|----------------------|--------------------------------|
| Dial Size/Design | 2 3/4" (70mm)/Direct-Read Dial |
| Night Lighting | 12V Green |
| Compensators | Built-in |
| Mounting Hole | 3 3/4" (95mm) |
| Warranty | 5-Year |
| Approx. Shipping Wt. | 1 lb. (454g) |
| Protective Cover | Model No. E-50-C |



SURFACE MOUNT



S-53G



S-53W




S-53



Ritchie Explorer™ S-53, 2 3/4" Dial


| | |
|----------------------|--------------------------------|
| Dial Size/Design | 2 3/4" (70mm)/Direct-Read Dial |
| Night Lighting | 12V Green |
| Compensators | Built-in |
| Warranty | 5-Year |
| Approx. Shipping Wt. | 1 lb. (454g) |
| Protective Cover | Model No. E-50-C |



Explorer™ Compasses

Ritchie Explorer™ V-57.2, 2 3/4" Dial

| | |
|----------------------|--------------------------------|
| Dial Size/Design | 2 3/4" (70mm)/Direct-Read Dial |
| Night Lighting | 12V |
| Viewing | Adjustable to 30° |
| Compensators | Built-in |
| Mounting Hole | 3" (76mm) Instrument Hole |
| Warranty | 5-Year |
| Approx. Shipping Wt. | 1 lb. (454g) |




DASH MOUNT



Ritchie Explorer™ V-537, 2 3/4" Dial

| | |
|----------------------|--|
| Dial Size/Design | 2 3/4" (70mm)/Direct-Read Dial |
| Night Lighting | 12V |
| Viewing | Adjustable to 30° Heel angle to 25° |
| Compensators | Built-in |
| Mounting Hole | 3" (76mm) |
| Warranty | 5-Year |
| Approx. Shipping Wt. | 1 lb. (454g) |



BULKHEAD MOUNT

Voyager® Compasses

FLUSH MOUNT



Ritchie Voyager® F-83, 3" Dial

| | |
|----------------------|--|
| Dial Size/Design | 3" (76mm)/CombiDial |
| Night Lighting | 12V Green |
| Compensators | Built-in |
| Mounting Hole | 4 ³ / ₁₆ " (107mm) |
| Warranty | 5-Year |
| Approx. Shipping Wt. | 1 lb. 4 oz.(567g) |
| Protective Cover | Model No. V-83-C |


F-82



F-82W

Ritchie Voyager® F-82, 3" Dial


| | |
|----------------------|---|
| Dial Size/Design | 3" (76mm)/Flat-Card Dial |
| Night Lighting | 12V Green |
| Compensators | Built-in |
| Mounting Hole | 4 ¹ / ₈ " (105mm) |
| Warranty | 5-Year |
| Approx. Shipping Wt. | 1 lb. 8 oz.(680g) |
| Protective Cover | Model No. V-80-C |



F-83W



F-83




FLUSH MOUNT

Voyager® Compasses



Ritchie Voyager® B-80 & B-81, 3" Dial

| | |
|----------------------|--|
| Dial Size/Design | 3" (76mm)/Flat-Card or CombiDial |
| Night Lighting | 12V Green |
| Compensators | Built-in |
| Warranty | 5-Year |
| Approx. Shipping Wt. | 1lb. 8oz. (680g) |
| Protective Cover | Model No. V-80-C (B-80) Model No. V-83-C (B-81) |




Ritchie Voyager® S-87, 3" Dial

| | |
|----------------------|---------------------|
| Dial Size/Design | 3" (76mm)/CombiDial |
| Night Lighting | 12V Green |
| Compensators | Built-in |
| Warranty | 5-Year |
| Approx. Shipping Wt. | 1 lb. 3 oz. (539g) |
| Protective Cover | Model No. V-83-C |



S-87

S-87W



BRACKET MOUNT

SURFACE MOUNT

Helmsman™ Compasses

FLUSH MOUNT



HF-742




HF-743

HF-742W



HF-743W



Ritchie Helmsman™ HF-742 & HF-743, 3 3/4" Dial

| | |
|----------------------|--|
| Dial Size/Design | 3 3/4" (94mm) / Flat-Card or CombiDial |
| Night Lighting | 12V Green |
| Compensators | Built-in |
| Mounting Hole | 4" (102mm), 5" (128mm) w/adapter ring |
| Warranty | 5-Year |
| Approx. Shipping Wt. | 2lb. (907g) |
| Protective Cover | Model No. H-741-C |



Adapter Rings (may be purchased if needed)

6" (152mm) retrofits the existing mounting hole for Model Numbers HF-72s, HF-73s and HF-79s. Adapter Model Numbers: H-ABLK (black) and H-AWHT (white).

BRACKET MOUNT




HB-740



HB-741

Ritchie Helmsman™ HB-740 & HB-741, 3 3/4" Dial

| | |
|----------------------|--------------------------------------|
| Dial Size/Design | 3 3/4" (94mm)/Flat-Card or CombiDial |
| Night Lighting | 12V Green |
| Compensators | Built-in |
| Warranty | 5-Year |
| Approx. Shipping Wt. | 2 lb. (907g) |
| Protective Cover | Model No. H-741-C |



Helmsman™ Compasses




HD-744

HD-745



Ritchie Helmsman™ HD-744 & HD-745, 3 3/4" Dial

| | |
|----------------------|--------------------------------------|
| Dial Size/Design | 3 3/4" (94mm)/Flat-Card or CombiDial |
| Night Lighting | 12V Green |
| Compensators | Built-in |
| Warranty | 5-Year |
| Approx. Shipping Wt. | 2 lb. (907g) |
| Protective Cover | Model No. H-741-C |



Venture® Compass (Sailboats only)



Front Cover
BK-0019 ASY



Back Cover
BK-0020





SR-CM2 Compensator
(may be purchased if needed)

Ritchie Venture™ SR-2, 3 3/4" Dial

| | |
|----------------------|-------------------------|
| Dial Size/Design | 3 3/4" (94mm)/CombiDial |
| Night Lighting | 12-24V Blue |
| Compensators | SR-CM2 Sold Separately |
| Mounting Hole | 4 1/2" (113mm) |
| Warranty | 5-Year |
| Approx. Shipping Wt. | 2 lb. (.91kg) |
| Protective Cover | BK-0019 ASY |
| INC-45 | Included |

INC-45 Clinometer




Navigator™ Compasses



Ritchie Navigator™ FN-201 & FN-203, 4 1/2" Dial

| | |
|----------------------|---------------------------------------|
| Dial Size/Design | 4 1/2" (114mm)/Flat-Card or CombiDial |
| Night Lighting | 12V Green |
| Compensators | Built-in |
| Mounting Hole | 5 1/8" (130mm) |
| Warranty | 5-Year |
| Approx. Shipping Wt. | 2 lb. 10 oz. (1.19kg) |
| Protective Cover | Model No. N-203-C |




Ritchie Navigator™ DNP-200, 4 1/2" Dial

| | |
|----------------------|---------------------------------|
| Dial Size/Design | 4 1/2" (114mm) / Flat-Card Dial |
| Night Lighting | 12V Green |
| Compensators | Built-in |
| Warranty | 5-Year |
| Approx. Shipping Wt. | 3 lb. 10 oz. (1.65kg) |
| Protective Cover | Model No. N-203-C |



Weather Shield
Model No. WS-P
(Sold Separately)




Navigator™ Compasses



Navigator
bulkhead
back cover
Model No.
NC-20

Ritchie Navigator™ BN-202, 4 1/2" Dial

| | |
|----------------------|----------------------------|
| Dial Size/Design | 4 1/2" (114mm) / CombiDial |
| Night Lighting | 12V |
| Compensators | Built-in |
| Mounting Hole | 5 3/4" (146mm) |
| Warranty | 5-Year |
| Approx. Shipping Wt. | 2 lb. 5 oz. (1.05kg) |
| Protective Cover | Model No. BN-C |



Globemaster® Compasses

All Globemaster Compasses are individually custom assembled to order. Please ask your dealer or boat builder for complete specifications, options and ordering information (see note on page 29). Or, call Ritchie Customer Service at 781-709-3202.




SP-5B

GM-5-C

SP-5C

Globemaster® SP-5B & SP5C, 5" Dial

| | |
|----------------------|------------------------------------|
| Dial Size/Design | 5" (127mm) / Flat-Card Dial |
| Night Lighting | 12V Green |
| Compensators | Built-in |
| Warranty | 5-Year |
| Approx. Shipping Wt. | 6 lb. (2.72kg) |
| Protective Cover | Model No. GM-5-C (Sold Separately) |
| Weather Shield | Model No. WS-P (Sold Separately) |




Globemaster® Compasses

All Globemaster Compasses are individually custom assembled to order. Please ask your dealer or boat builder for complete specifications, options and ordering information (see note on page 29). Or, call Ritchie Customer Service at 781-709-3202.

Globemaster® D-615 Compasses


| | |
|----------------------|---------------------------|
| Dial Size/Design | 6" (152mm) Flat-Card Dial |
| Night Lighting | 12V Green |
| Compensators | Built-in |
| Warranty | 5-Year |
| Approx. Shipping Wt. | 14 lb. (6.36kg) |



D-615-X

Globemaster® D-515 Compasses

| | |
|----------------------|------------------------------------|
| Dial Size/Design | 5" (127mm) Flat-Card Dial |
| Night Lighting | 12V Green |
| Compensators | Built-in |
| Warranty | 5-Year |
| Approx. Shipping Wt. | 10 lb. (4.54kg) |
| Protective Cover | Model No. GM-5-C (Sold Separately) |
| Weather Shield | Model No. WS-P (Sold Separately) |




D-515-EP



D-515-B

Globemaster® Compasses

All Globemaster Compasses are individually custom assembled to order. Please ask your dealer or boat builder for complete specifications, options and ordering information. Or, call Ritchie Customer Service at 781-709-3202.



Globemaster® FB-500 & 600 Series , 5" & 6" Dials

| | |
|----------------------|--|
| Dial Size/Design | 5" (127mm) or 6" (152mm) Flat-Card Dial |
| Night Lighting | 12V Green |
| Compensators | Built-in |
| Mounting Hole | 5" models: 6 1/4" (159mm) 6" models: 7 1/4" (184mm) |
| Warranty | 5-Year |
| Approx. Shipping Wt. | See below |
| Protective Cover | Model No. LL-C (for Models SF-500 & FB-500 only) |

Flush Mount Without Hoods

| Part # | Dimensions | Approx. Shipping Wt. |
|----------|----------------------------|------------------------|
| B-500 | 5" dial, 6 7/8" (175mm) OD | 5 lb. 12 oz. (2.61 kg) |
| * SB-500 | 5" dial, 6 7/8" (175mm) OD | 5 lb. 12 oz. (2.61 kg) |
| B-600 | 6" dial, 8" (203mm) OD | 11 lb. (4.99 kg) |
| * SB-600 | 6" dial, 8" (203mm) OD | 11 lb. (4.99 kg) |
| * SF-500 | 5" dial, 7 1/2" (191mm) OD | 5 lb. 12 oz. (2.61 kg) |
| * SF-600 | 6" dial, 9" (229mm) OD | 11 lb. (4.99 kg) |
| FB-500 | 5" dial, 7 1/2" (191mm) OD | 5 lb. 12 oz. (2.61 kg) |
| F-600 | 6" dial, 9" (229mm) OD | 11 lb. (4.99 kg) |

Binnacle Mount Without Hoods


| | | |
|---------|-----------------------------|------------------------|
| * SP-5 | 5" dial, 7 1/4" (184mm) OD | 6 lb. (2.72 kg) |
| 515 | 5" dial, 7 1/8" (183mm) OD | 8 lb. 6 oz. (3.80 kg) |
| * 515-E | 5" dial, 7 1/8" (183mm) OD | 8 lb. 6 oz. (3.80 kg) |
| 615 | 6" dial, 8 3/16" (197mm) OD | 11 lb. 8 oz. (5.28 kg) |
| * 615-E | 6" dial, 8 3/16" (197mm) OD | 11 lb. 8 oz. (5.28 kg) |

* designates sailboat features: Low Level Lighting and 45° Lubber Lines

Note: When ordering a Globemaster Compass it is important to specify your choice of power or sailboat model; 2°, 2° w/points, or 5° dial; 12, 24, or 32-volt night lighting and your choice of Polished Stainless (P), Black (B) or Polished Brass (X) finish on all models.

Globemaster® Compasses

All Globemaster Compasses are individually custom assembled to order. Please ask your dealer or boat builder for complete specifications, options and ordering information. Or, call Ritchie Customer Service at 781-709-3202.



Globemaster® FD-500 & 600 Series, 5" & 6" Dials

Flush Mount With Hoods

| Part # | Dimensions | Approx. Shipping Wt. |
|-----------|----------------------------|------------------------|
| FD-500 | 5" dial, 7 1/2" (191mm) OD | 8 lb. 9 oz. (3.87 kg) |
| * FD-500E | 5" dial, 7 1/2" (191mm) OD | 8 lb. 9 oz. (3.87 kg) |
| FD-600 | 6" dial, 8 1/2" (216mm) OD | 13 lb. 8 oz. (6.12 kg) |
| * FD-600E | 6" dial, 8 1/2" (216mm) OD | 13 lb. 8 oz. (6.12 kg) |

Binnacle Mount With Hoods


| | | |
|-----------|-----------------------------|------------------|
| D-515 | 5" dial, 7 1/8" (183mm) OD | 10 lb. (4.54 kg) |
| * D-515-E | 5" dial, 7 1/8" (183mm) OD | 10 lb. (4.54 kg) |
| D-615 | 6" dial, 8 3/16" (197mm) OD | 14 lb. (6.36 kg) |
| * D-615-E | 6" dial, 8 3/16" (197mm) OD | 14 lb. (6.36 kg) |

* designates sailboat features: Low Level Lighting and 45° Lubber Lines

Note: When ordering a Globemaster Compass it is important to specify your choice of power or sailboat model; 2°, 2° w/points, or 5° dial; 12, 24, or 32-volt night lighting and your choice of Polished Stainless (P), Black (B) or Polished Brass (X) finish on all models.

G-2 (5" only)

G-2-P (5" and 6")



G-5 (5" and 6")

Heritage Skylight Binnacle with Hood for Globemaster® Compasses




SK-615-EX

SK-615-EC

- Polished Brass or Chrome Housing with Skylight Hood
- 45 & 90 Degree Lubber Lines for Easy Reading
- Full Internal Gimbals



The SK-615-C shown here on a Friendship 75 Yacht



Frosted Sunshade Pane - Hood rotates to allow positioning of sunshade, polished thumbscrew locks hood in position.



12 Volt Green NiteVu
Powerlight Lighting
Standard on all SK Models
Optional Night Lighting
available (see below)



Removable
Daylight Cap

Dial Size/Design
12 Volt Green Powerlight Lighting

Compensators
Warranty
Repairability
Approx. Shipping Wt.

SK-615-EX & SK-615-EC

6" (152mm)
Standard on both SK models
Optional Night Lighting available in
24 & 32 Volt Green or 12, 24 & 32 Volt Red
Built-In
5-Years
100%
20 lb. (9.07kg)

Choice of Cards:

2° Dial w/points
Model No. G-2-P

5° Dial
Model No. G-5



Hood Models SK-600-X and SK-600-C can be purchased separately

Freindship 75 Yacht photo shown above courtesy of Ivor Wilkins, Freindship Yachts

Super Yacht Compasses



SY-600LL

Super Yacht Compass Features

- Bright polished Bronze or polished Chrome Bezel
- Choice of 2 or 5 degree markings
- Low profile Sailboat Style Lighting (LL) or Power Lighting (PL)
- PowerDamp Performance Dials
- 45 and 90 Degree Lubber Lines (Sailboat version)
- Full Internal gimbals
- 12 volt lighting standard – Optional night lighting available in 24 and 32 volt
- Spherical Design Bowl
- 100% Repairable
- To see all available options go to www.ritchienavigation.com

Optional engraving available



SY-500LL



SY-600PL





SY-500LLC

Super Yacht SY-600 Series

| | |
|----------------------|---------------------------|
| Dial Size/Design | 6" (152mm) Flat-Card Dial |
| Night Lighting | Yes |
| Mounting Hole | 7 1/4" (18.42cm) |
| Compensators | Built-in |
| Warranty | 5-Year |
| Approx. Shipping Wt. | 11 lbs. (4.99kg) |
| Protective Cover | None |

Super Yacht SY-500 Series

| | |
|----------------------|---------------------------|
| Dial Size/Design | 5" (127mm) Flat-Card Dial |
| Night Lighting | Yes |
| Mounting Hole | 6 1/4" (15.9cm) |
| Compensators | Built-in |
| Warranty | 5-Year |
| Approx. Shipping Wt. | 5 lb. 12oz. (2.6kg) |
| Protective Cover | LL-C (LL lighting only) |



Steel & Commercial Boat Compasses

Ritchie steel boat compasses are completely equipped with the necessary compensating equipment (BIC and quadrantal spheres) to provide proper operation on steel hulled boats.



HB-845

Helmsman™ HB-845 with Steel Boat Quadrantal Correctors, 3 3/4" Dial

| | |
|----------------------|------------------------------|
| Dial Size/Design | 3 3/4" (57mm)/Flat-Card Dial |
| Night Lighting | 12V Green |
| Overall Dimensions | 12" x 6 1/6" (305mm x 157mm) |
| Base | 4 3/8" (111mm) |
| Warranty | 5-Year |
| Approx. Shipping Wt. | 6 lb. (2.72kg) |
| Protective Cover | Model No. H-741-C |

Navigator™ B-200P with Steel Boat Quadrantal Correctors, 4 1/2" Dial

| | |
|----------------------|----------------------------------|
| Dial Size/Design | 4 1/2" (114mm)/Flat-Card Dial |
| Night Lighting | 12V Green |
| Overall Dimensions | 17 1/4" x 6 1/6" (438mm x 157mm) |
| Base | 7 1/4" (184mm) |
| Warranty | 5-Year |
| Approx. Shipping Wt. | 10 lb. (4.5kg) |
| Protective Cover | Model No. N-203-C |



B-200P

Steel & Commercial Boat Compasses

Ritchie steel boat compasses are completely equipped with the necessary compensating equipment (BIC and quadrantal spheres) to provide proper operation on steel hulled boats




Globemaster® D-5-S & D-6-S with Steel Boat Quadrantal Correctors, 5" & 6" Dial

| | D-5-S | D-6-S |
|----------------------|------------------------------|-----------------------------------|
| Dial Size/Design | 5" (127mm) | 6" (152mm) |
| Night Lighting | 12V Green | 12V Green |
| Overall Dimensions | 22" x 8 3/4" (556mm x 223mm) | 23 3/4" x 10 1/4" (603mm x 260mm) |
| Base | 7 1/8" (181mm) | 8 3/16" (209mm) |
| Warranty | 5-Year | 5-Year |
| Approx. Shipping Wt. | 23 lb. (10.44kg) | 29 lb. (13.15kg) |

Globemaster® YB-500 & YB-600 with Steel Boat Quadrantal Correctors, 5" & 6" Dial

| | YB-500 | YB-600 |
|----------------------|------------------------------|----------------------------------|
| Dial Size/Design | 5" (127mm) | 6" (152mm) |
| Night Lighting | 12V Green | 12V Green |
| Overall Dimensions | 19" x 8 1/4" (483mm x 210mm) | 20 1/4" x 9 7/8" (514mm x 245mm) |
| Base | 6 7/8" (175mm) | 8" (203mm) |
| Warranty | 5-Year | 5-Year |
| Approx. Shipping Wt. | 18 lb. (8.16kg) | 26 lb. (11.90kg) |

IMPORTANT ORDERING INFORMATION: All Steel and Commercial Boat Compasses are individually custom assembled to order, and there are many options to consider. All models are available with your choice of 12, 24, or 32-volt night lighting. In addition, Globemaster Models are available for either sail or powerboats with a choice of dial sizes and dial degree graduations. The Globemaster Traditional Binnacle Models are also available in Polished Brass (X), Chrome Plated Brass (C) or Black (B) finish. Please ask your dealer or boat builder for complete specifications, options and ordering information or call Ritchie Customer Service at 781-826-5131.



Globemaster™ Shock Mount Compasses

Globemaster shock mount compasses are equipped with an anti-vibration feature which isolates the compass unit from damaging shock or hull vibrations. Shock-mounted binnacle models should be installed in enclosed bridge decks or pilot houses.



B-453

Globemaster® Shock Mount Binnacle B-453 & B-463 with Steel Boat Quadrantal Correctors

For Steel and Commercial Vessels

| | B-453 | B-463 |
|----------------------|------------------------------|-----------------------------------|
| Dial Size/Design | 5" (127mm) | 6" (152mm) |
| Night Lighting | 12V Green | 12V Green |
| Overall Dimensions | 19" x 8 1/4" (463mm x 210mm) | 20 1/2" x 10 1/4" (521mm x 260mm) |
| Base | 8 7/16" (214mm) | 9 1/2" (241mm) |
| Warranty | 5-Year | 5-Year |
| Approx. Shipping Wt. | 16 lb. (7.25kg) | 24 lb. (10.89kg) |

Globemaster® C-453 & C-463 with Shock Mount Binnacle

For Commercial Vessels

| | C-453 | C-463 |
|----------------------|---------------------------------|----------------------------------|
| Dial Size/Design | 5" (127mm) | 6" (152mm) |
| Night Lighting | 12V Green | 12V Green |
| Overall Dimensions | 8 1/2" x 8 1/4" (216mm x 210mm) | 9 1/2" x 10 1/4" (241mm x 260mm) |
| Base | 8 7/16" (214mm) | 9 1/2" (241mm) |
| Warranty | 5-Year | 5-Year |
| Approx. Shipping Wt. | 7 lb. (3.52kg) | 12 lb. (5.44kg) |



C-453

Navy Standard Compasses

For Large Commercial Vessels



NS-7.5-SB

Navy Standard NS - 7.5 -SB with Steel Boat Quadrantal Correctors, 7½" Dial

| | |
|----------------------|-------------------------------|
| Dial Size/Design | 7 1/2" (192mm)/Flat-Card Dial |
| Night Lighting | 12V, 24V, 32V, and 110V |
| Overall Dimensions | 25" x 9 3/8" (635mm x 238mm) |
| Base | 12 1/2" (318mm) |
| Warranty | 5-Year |
| Approx. Shipping Wt. | 43 lb. (19.5kg) |

Navy Standard NS - 7.5 , 7½" Dial

| | |
|----------------------|----------------------------------|
| Dial Size/Design | 7 1/2" (192mm)/Flat-Card Dial |
| Night Lighting | 12V, 24V, 32V, and 110V |
| Overall Dimensions | 11 3/4" x 9 3/8" (299mm x 238mm) |
| Base | 12 1/2" (318mm) |
| Warranty | 5-Year |
| Approx. Shipping Wt. | 19 lb. (8.6kg) |

NS-7.5

Navy Standard NS - 7.5-BIN , 7½" Dial without mounting bracket for installation in ship's binnacle

| | |
|----------------------|------------------------------------|
| Dial Size/Design | 7 1/2" (192mm)/Flat-Card Dial |
| Night Lighting | 12V, 24V, 32V, and 110V |
| Overall Dimensions | 11 3/4" x 5 15/16" (299mm x 151mm) |
| Base | 12" (304mm) |
| Warranty | 5-Year |
| Approx. Shipping Wt. | 16 lb. (7.3kg) |

NS-7.5-BIN

Our Navy Standard Azimuth Circle



Model
AC-0001

High quality Hard-
wood Carrying Case
Included



Navy Standard Compass Features

- 1° increments with cardinal and inner cardinal markings
- Dial float chamber removes nearly all the weight from pivot and jewel to extend operation by years
- Bezel machined to accommodate 7½" Navy standard azimuth circle or bearing circle
- 5" quadrantal spheres standard with steel boat model, smaller sizes available on request
- Meets or exceeds Solas ISO Class A compass requirements
- Operating Temperature Range: -22°F (-30°C) to +175°F (+80°C)
- 12, 24, 32, and 110 Volt Lighting included

- Fits Navy Standard compasses
- Made of high quality non-magnetic brass
- ID 9.72 inches (247mm)
- Approximate shipping weight 4 lbs. (1.8 kg.)

Azimuth Circle and case made in China